Author Index, Volume 19

Able, K. W., 697
Abood, K. A., 220
Achman, D. R., 950
Ahrenholz, D. W., 105
Allen, D. M., 659
Allen, R., 723
Ambrogio, E., 165
Ambrose, D. A., 115
Antrim, B. S., 115

Bagchi, M. M., 710
Baird, R. C., 320
Barrett, J. C., 257
Barry, J. P., 115
Bartlett, J. H. W., 674
Baum, T., 723
Berry, B. E., 247
Bilgili, A., 518
Boyer, K. E., 1
Boynton, W. R., 408, 562
Bricker, S. B., 337
Brinsfield, R. B., 359
Brooks, K. M., 296
Brosnan, T. M., 890
Brown, D. W., 86
Brownawell, B. J., 950
Burdick, D. M., 730

Cailliet, G. M., 115
Caraco, N. F., 824
Carlton, J. T., 814
Celikkol, B., 518
Chan, S., 86
Chin, P., 931
Chmura, G. L., 139
Christian, R. R., 247, 475
Cochran, J. K., 931
Cole, J. J., 824
Collier, T. K., 86
Conley, D. J., 371, 488
Cooper, D. C., 595
Cooper, J. E., 146
Cordell, J. R., 629
Cornwell, J. C., 488
Cosper, E. M., 874
Courtenay, S. C., 913
Cowan, J. L. W., 562
Crooks, J. A., 42
Crowder, L. B., 75

Daiber, F. C., 164
Dailey, S. K., 247
Daoust, R. J., 139
Dawes, C. J., 448
Deller, A. S., 272
Demas, G. P., 229
Doall, M., 866
Doroshov, S. I., 769
Dortch, Q., 386
Dunton, K. H., 436

Engle, V. D., 581
Erwin, R. M., 213

Felder, D. L., 51
Feng, H., 931
Findlay, S., 866
Fischer, D., 866
Fisher, T. R., 371
Fonseca, M. S., 740
Ford, M. A., 13
French, D. P., 279
Friedland, K. D., 105

Gaston, G. R., 674
Geider, R. J., 186, 202
Gilbert, P. M., 371
Gottlieb, S. J., 639
Grace, J. B., 13
Grunwald, C., 913
Gupta, B. K. S., 386
Guthrie, J. F., 105

Hagy, J. D., 408
Hall, M. O., 448
Harding, L. W., 371
Hart, J., 759
Heard, R. W., 674
Heffernan, P. B., 651
Himchak, P., 723
Hirschberg, D. J., 931
Hom, T., 86
Houser, D. S., 659
Howarth, R. W., 833, 848
Hsieh, Y. P., 82

Iannuzzi, T. J., 257

Jansen, M. L., 651
Jaramillo, E., 62
Jay, D. A., 501
Justić, D., 386

Karamkar, H. C., 710
Kemp, W. M., 408, 457
Kennedy, V. S., 619
Kennish, M. J., 288
Kenworthy, W. J., 740
King, R. J., 31
Kleeberg, A., 21
Konkle, B., 913

Lackey, G. J., 247
Lapointe, B. E., 422
Limburg, K. E., 794
Linares, J., 769
Long, E. R., 901
Lonsdale, D. J., 874
Lopez, G. R., 923

Macfarlane, S. L., 311
MacIntyre, H. L., 186, 202
Madden, C. J., 457
Magee, J. A., 619
Magenheimer, J. F., 139
Malaeb, Z. A., 581
Malone, T. C., 371
Martin, T. H., 75
Matzie, W. R., 422
McAllister, A. P., 674
McCain, B. B., 86
McInnch, S. P., 619
Metzger, S. G., 220
Miller, D. C., 186, 202
Miller, J. L., 526
Mills, E. L., 814
Mitra, P. M., 710
Moberg, G. P., 769
Moore, D. S., 769
Moore, T. R., 139
Morrison, S. M., 629
Morse, J. W., 595
Mouton, E. C., Jr., 51
Mukhopadhyay, M. K., 710
Murray, L., 408
Musiak, J. D., 163
Myers, M. S., 86

Nolan, K., 759

O'Beirn, F. X., 651
O'Shea, M. L., 890
Orson, R. A., 229
Owens, M., 488

Pace, M., 866
Paraso, M. C., 548
Pedersen, M., 913
Perry, M. C., 272
Piccoli, P. M., 778
Pierce, S. M., 86
Pino, M., 62

Quijón, P., 62

Rabalais, N. N., 386
Rabenhorst, M. C., 229
Rebach, S., 279
Reilly, F. J., Jr., 165
Riggs, S. R., 169
Rizzo, W. M., 247, 475
Roditi, H. A., 824
Ruppel, B. E., 288
Rydberg, L., 540

Scheuerell, M. D., 814
Schlacher, T. A., 162, 680
Schneider, R., 848
Schweighofer, M. E., 639
Secor, D. H., 778
Sellner, K. G., 257, 371
Setzler-Hamilton, E. M., 619
Sherman, D., 833
Short, F. T., 730
Simenstad, C. A., 501
Sinha, M., 710
Spagnolo, R. J., 165
Staver, K. W., 342, 359
Staver, L. W., 342
Stein, J. E., 86
Stevenson, J. C., 229, 337, 342, 488
Stokes, C., 408
Strayer, D. L., 814, 824
Summers, J. K., 581
Suszkowski, D. J., 757
Swaney, D., 833, 848
Swift, M. R., 518
Szedlmayer, S. T., 697

Thursby, G. B., 901
Tomasko, D. A., 448
Turner, R. E., 386

Valle-Levinson, A., 526, 548
Van Eenennaam, J. P., 769
Varanasi, U., 86

Wade, T. L., 581
Waldman, J. R., 757, 759
Walker, R. L., 651
Wallace, W. G., 923
Walton, W. C., 612
Watson, J. G., 769
Weinstein, M. P., 257
Weis, J. S., 306
Weis, P., 306
Weisberg, S. B., 723
West, R. J., 31
Wetzel, R. L., 247
Wickbom, L., 540
Williams, J., 913
Wilson, H. T., 723
Wirgin, I. I., 759, 913
Wiseman, W. J., Jr., 386
Wolfe, D. A., 901
Wooldridge, T. H., 680
Wright, D. A., 619
Wright, R. A., 75

Yoklavich, M. M., 115

Zedler, J. B., 1
Zhang, L., 950

© 1996 Estuarine Research Federation

Estuaries Vol. 19, No. 4, p. 968–973 December 1996

Subject Index, Volume 19

aboveground biomass, 139
aboveground net primary production, 82
aboveground production, 82
Acanthopagrus australis, 31
Acartia hudsonica, 874
Acartia tonsa, 279, 874
acenaphthene, 901
acid-volatile sulfide, 901
Acipenser oxyrinchus, 759
Afrochiltona capensis, 680
Agardhiella tenera, 257
age-dependent migrations, 778
agricultural watersheds, 581
agriculture, 833
Agrostis gigantea, 814
Alasmidonta marginata, 814
Albemarle Estuarine System, North Carolina, 169
Albemarle Sound, North Carolina, 146
algae, 186, 408
algal mats, 311
allochthonous inputs, 848, 866
Alopecurus geniculatus, 814
Alosa aestivalis, 723, 794
Alosa mediocris, 723
Alosa pseudoharengus, 723
Alosa sapidissima, 723, 759, 794
Alpheus, 659
Altamaha River, Georgia, 759
aluminum, 581, 901
Ambassis jacksoniensis, 31
Ambloplites rupestris, 723, 814
American eel, 288, 794
American shad, 759, 794
Amia calva, 814
ammonium, 422, 436, 475, 562, 595
Ampelisca abditi, 901
Amphipleura, 710
amphipod survival, 901
amphipods, 306, 901
Amphistichus argenteus, 115
Amphora, 710
Anabaena, 710
anadromous fish(es), 759, 913
Anas platyrhynchos, 272
Anchoa hepsetus, 723
Anchoa mitchilli, 697, 723, 794
Anguilla rostrata, 146, 288, 723, 794
Anodonta embecilis, 814
Anodonta grandis, 814
anoxia, 422
antimony, 901
Apeltes quadracus, 723
Aphredoderus sayanus, 146
Aplodinulus grunniens, 814
Argopecten irradians irradians, 311
Arius felis, 86
arrow goby, 115
arsenic, 296, 306, 581, 595, 901
Artemia salina, 279
Asian copepod, 629
Assimenia, 680
Asterionella formosa, 386
Asterionella japonica, 386
Atherinops affinis, 115
Atherinopsis californiensis, 115
Atlantic menhaden, 105
Atlantic rangia, 814
Atlantic silverside, 697
Atlantic sturgeon, 759, 769
Atlantic tomcod, 794, 913
atmospheric deposition, 408
atmospheric exchange, 139
atmospheric forcing, 548
autotrophy, 247
Aythya valisineria, 272

B. mobilensis, 710
Baccharis halimifolia, 51
bacteria, 866, 901
Bacteriastrum, 710
Balanus eburneus, 279
Balanus improvisus, 612
bald eagles, 213
Baltic Sea, 21
banded mystery snail, 814
bare habitats, 31
barnacles, 306
barnyard grass, 814
barred surfperch, 115
barrier beach dynamics, 311
Barthe River, Germany, 21
Bascillaria, 710
basin morphology, 169
bat ray, 115
bathymetric change, 501
bathymetry, 518
Batis maritima, 51
bay anchovy, 697, 794
bay scallops, 311
Bay of Fundy, New Brunswick, Canada, 139
bed friction, 540
Beddulphia sinensis, 710
bedload flux, 518
beggar ticks, 814
belowground biomass, 436
benthic invertebrate, 824
benthic organisms, 247, 306
Bidens tripartila, 814
Big Pine Key, Florida, 422
Biloxi Bay, Mississippi, 674
biochemical oxygen demand, 890
bioeffects, 901
Bithynia tentaculata, 814
bitter dock, 814
bitterling, 814
bittersweet, 814
Bittium varium, 75
bivalve development, 901
bivalve survival, 901
black bent, 814
black bindweed, 814
black crappie, 814
black sea bass, 697
black skimmers, 213
black surfperch, 115
blue crab(s), 75, 279, 288, 612, 697
blueback herring, 794
bluefish, 288, 794
boltonia, 814
Boltonia asteroides var. *recognita*, 814
Borrichia frutescens, 51
Bosmina, 710
bowfin, 814
Brachionus, 710
brackish water, 21, 31
Brevoortia tyrannus, 105, 723
bridge piles, 526
bridled madtom, 814
bristly lady's-thumb, 814
brown trout, 814
Bryocamptus, 710
bryozoa, 306
bulbous buttercup, 814
burrow distributions, 51
Butomus umbrellatus, 814

^{14}C uptake, 257
Cabomba caroliniana, 814
cadmium, 901, 923, 931
Calamagrostis epigeios, 814
California Bay, 42
Callinectes, 279
Callinectes sapidus, 75, 279, 288, 612, 697
Campbell River, British Columbia, 629
Campostoma anomalum, 814
canvasback, 272
Cape Cod, Massachusetts, 311
Cape Cod Bay, Massachusetts, 311
Capitella, 62
Capitella capitata, 680
Caranx hippos, 723
Carassius auratus, 723
carbon, 866
carbon budget, 848
carbon dioxide flux, 139
Cardamine pratensis, 814
Carex, 139
carnivore, 213
Catostomus commersoni, 723
CCA-treated wood, 296
central mudminnow, 814
central stoneroller, 814
Centropages, 874
Centropristis striata, 697
Ceramium strictum, 257
Ceratium hirudinella, 710
Ceratonereis keiskama, 680
Ceratulina pelagica, 386
Chaetoceros, 386, 710
Chaetoceros affinis, 386
Chaetoceros vanheurkii, 386
Chehalis River, Washington, 629
chemical contaminants, 86, 901
Chesapeake Bay, 272, 337, 342, 359, 371, 457, 488, 526, 548, 639, 759
Chesapeake Bay Bridge-Tunnel, 526

© 1996 Estuarine Research Federation

Chinese mystery snail, 814
chlordane, 901
Chlorella, 710
Chlorobotrys, 710
chlorophyll, 436, 562
chlorophyll *a*, 21, 62, 105, 186, 408, 422, 824, 866
Chondrus crispus, 257
Choptank River, Maryland, 342
Choromytilus chorus, 62
chromated copper arsenate, 296, 306
chromium, 296, 306, 581, 901
Cirolana fluviatilis, 680
cirripedia larvae, 874
Citharichthys stigmaeus, 115
clam beds, 62
Clarence River, New South Wales, Australia, 31
clay minerals, 169
cleavers, 814
Cleistosoma edwardsii, 680
Clevelandia ios, 115
Closterium, 710
Clupea harengus, 723
Clupea pallasi, 115
Clyclotella, 386
coastal Georgia, 651
coastal lagoon, 408
coastal resources, 320
coastal waters, 337
coastal wetlands, 13
Cocconeis, 710
Coelastrum sphaericum, 710
coliform bacteria, 890
Columbia River, 629
common buttercup, 814
common carp, 814
common watercress, 814
comorants, 213
Connecticut River, Connecticut, 759
constructed marsh, 1
construction, 296
contaminant exposure, 86
contaminants, 931
contamination, 581, 923
Coos, Oregon, 629
copepods, 146, 659, 874
copper, 296, 306, 581, 595, 901, 931
cordgrass, 1
Cordylophora caspia, 612, 814
Corophium salmonis, 629
Corophium triaenonyx, 680
Coscinodiscus, 386
Coscinodiscus granii, 710
Cossura, 680
Coullana canadensis, 629
Courtenay River, British Columbia, 629
crack willow, 814
Craspedacusta sowerbyi, 814
Crassostrea gigas, 639
Crassostrea virginica, 639, 651
crayfish, 814
creeping buttercup, 814
creeping yellow cress, 814
Ctenopharyngodon iidella, 814
Cumacea, 680
curly dock, 814
curly pondweed, 814
current(s), 526, 540
current meter, 518
cursed crowfoot, 814
cyanobacteria, 186
Cyathura estuaria, 680
cyclopoid predators, 146
Cyclops, 710
Cyclotella comta, 386
Cyclotella meneghiniana, 386
Cylindrotheca, 710
Cymatogaster aggregata, 115
Cynoscion regalis, 723
Cyprinus carpio, 723, 814
cytochrome P450, 86, 913
cytochrome P4501A, 86

Daphnia, 710
Darβ-Zingst Bodden Chain estuary, Germany, 21
dark false mussel, 814
Davids Island, Long Island, 257
decapod crustaceans, 697
Delaware Bay, 213
Delaware River, Delaware, 723, 759
denitrification, 475
deposition, 510
depth profiles, 931
Desdemona ornata, 680
destratification, 526
detritus, 866
development, 320
developmental biology, 619
Diaptomus, 710
Diatoma, 710
Diatomella, 710
dichlorodiphenyltrichloroethane, 86, 901
dieldrin, 901
dietary analysis, 115
diffuse light attenuation, 740
diffuse-source inputs, 342
diffuse-source nitrogen, 359
diffusive flux, 950
diflubenzuron, 279
Dimilin, 279
Dipper Harbour, Canada, 139
discharge, 866
disease-causing organisms, 651
Dispora, 710
dissolved inorganic phosphorus, 371, 408
dissolved inorganic nitrogen, 337, 371, 436
dissolved nutrients, 475
dissolved organic carbon, 866
dissolved organic nitrogen, 562
dissolved oxygen, 408, 890
dissolved silicate, 371, 526
Distichlis spicata, 51, 82
disturbance, 257, 272
Ditylium brightwelii, 710
DNA variations, 759
dock-leaved smartweed, 814
Donax serra, 680
Dorosoma cepedianum, 723, 814
drainage basin, 342
dredge spoils, 51
dredged sedimentation traps, 21
dredging, 257, 518
Dreissena bugensis, 619
Dreissena polymorpha, 612, 619, 814, 824
Duwamish River, Washington, 629

Echinochloa crusgalli, 814
ecological values, 247
ecosystem model, 457
eelgrass, 501, 730
egrets, 213
electro-magnetic current meter, 518
Eleotridae, 31
Elimia livescens, 814
Elkhorn Slough, California, 115
elktoe, 814
embayment management, 311
Embiotoca jacksoni, 115
emerald shiner, 814
English sole, 115
Engraulis mordax, 115
enrichment, 371
Enteromorpha intestinalis, 257
Environmental Monitoring Assessment Program, 581
enzyme induction, 913
epifaunal crustacea, 115
Epilobiu hirsutum, 814
epiphyte loads, 448
episodic discharges, 422
Ergasilus, 710
Erimyzon oblongus, 723
erosion, 510
erosion control measures, 311
Esox immaculatus, 723
Esox lucius, 814
Esox lucius x *masquinongy*, 814
Esox masquinongy, 723
Etheostoma olmstedi, 723
Eurasian water-milfoil, 814
European fingernail clam, 814
European fouling hydroid, 814
European stream valvata, 814
European water-horehound, 814
Eurytemora, 874
Eurytemora affinis, 279, 629
eutrophication, 337, 371, 386, 408, 422, 436, 448, 457, 475, 488
Evadne, 874
exotic mussels, 42
exotic species, deliberate introduction, 639
exotic species, 42, 612, 619, 629, 639, 814, 824
Extubocellulus spinifer, 386

fanwort, 814
Farakka barrage, 710
fathead minnow, 814
feathertop, 814
fecal califorms, 890
fecundity, 769
feeding rates, 824
fertilization, 1
fiddler crabs, 51
field enclosures, 75
field-sow-thistle, 814
Filinia, 710
finfish, 288
fish, 697, 710, 723
fish abundances, 105
fish age determination, 778
fish communities, 31

fish growth, 794
fish kills, 311
fish landings, 710
fish movement, 794
fish parasites, 146
fisheries, 769
fishes, 913
flat-tail mullet, 31
flooding, 13
Florida Keys, 422
flowering rush, 814
fluoranthene, 901
flux(es), 247, 475
food chain transfer, 923
food habits, 115, 146, 272
food web(s), 202, 866, 874
formalin, 674
fouling community, 306
Fragilaria, 710
fragile papershell, 814
Fraser River, British Columbia, 629
freshwater discharge, 342, 710
freshwater drum, 814
freshwater input, 386, 408
freshwater jellyfish, 814
freshwater marsh, 13
Fucas vesiculous, 257
Fundulus diaphanus, 723
Fundulus grandis, 86
Fundulus heteroclitus, 723
Fundulus majalis, 86, 723
Fusconaia flava, 814

Galium aparine, 814
Galveston Bay, Texas, 595
Gambusia affinis, 814
gammarid amphipod, 814
Gammarus daiberi, 814
Gamtoos Estuary, South Africa, 680
Ganga River, India, 710
Garassius auratus, 814
garden-loosestrife, 814
gastropod, 75
Gastrosaccus brevifissura, 680
Gastrosaccus psammodytes, 680
geese, 272
genetic analysis, 913
genetics, 759
geochronology, 488
Georgia Strait, 501
germinal vesicle, 769
Gerres subfasciatus, 31
giant floater, 814
Gillichthys mirabilis, 115
Gipangopaludina chinensis, 814
Girella tricuspidata, 31
gizzard shad, 814
glochidia, 146
Gobiidae, 31
Gobiosoma, 659
Gobiosoma bosci, 723
goldfish, 814
gonadotropins, 769
Governors Island, New York, 931
Grandidierella lignorum, 680
grass carp, 814
grass shrimp, 923
grazing, 13, 874
grazing pressure, 824
Great Bay, New Jersey, 697
greater European pea clam, 814
green sunfish, 814
greenhouse gases, 139
Grinellia americana, 257
groundwater, 342, 359, 408, 422
groundwater discharge, 359
Guadalupe estuary, Texas, 436
Gulf killifish, 86
Gulf of Maine, 518
Gulf of Mexico, 51, 386, 436, 581, 651
Gynoscion regalis, 794
gypsy moth, 279
Gyrosigma, 710

habitat degradation, 272
habitat disturbance, 257
habitat function, 169
habitat loss, 730
habitat utilization, 778
hairy willow-herb, 814
Haliaeetus leucocephalus, 213
Haliaspis spartina, 1
Halodule wrightii, 436, 740
hardhead catfish, 86
harpacticoids, 874
Haverstraw Bay, New York, 931
heat transport, 548
heavy metals, 901, 931
hedge nettle, 814
Helenium flexuosum, 814
hepatic enzymes, 86
herbivores, 13
Hernidiscus, 710
herons, 213
Hillsborough Bay, Florida, 86
historical perspective, 220
hogchoker, 913
Hood Canal, Washington, 501
Hooghly estuary, India, 710
hornyhead chub, 814
House Creek, Georgia, 651
Hudson River estuary, 220
Hudson River Foundation, 757
Hudson River, New York, 612, 757, 759, 769, 778, 794, 814, 824, 833, 848, 874, 890, 901, 931, 950
human disturbance, 213
human impacts, 220
hydrogen sulfide, 595
Hymenosoma orbiculare, 680
Hyperprosopon anale, 115
hypoxia, 386, 422
Hypseleotris compressus, 31

ibises, 213
Ichthyomyzon unicuspis, 814
Ictaluris punctatus, 723
Ictalurus catus, 288, 723, 794
Ictalurus nebulosus, 723
Indian River Lagoon, Florida, 740
infauna, 115, 306
infaunal mussels, 42
inorganic phosphorus, 488
insecticide, 279
institutional effectiveness, 320
intertidal salt-marsh, 659
introduced species, 814, 824
invading species, 814
Iphinoe truncata, 680
Iris pseudacorus, 814
iron, 21, 595, 901, 931
irradiance, 186

jacksmelt, 115
Jackson Estuarine Laboratory, 730
Joseph's Harbor, Louisiana, 51
Juncus balticus, 139
Juncus gerardi, 139
Juncus inflexus, 814
Juncus roemerianus, 82
juvenile fish(es), 31, 794
juvenile nurseries, 105
juvenile zebra mussels, 619

Keratella, 710

laboratory feeding trials, 75
lady's thumb, 814
lagoon, 540
Laguna Madre, Texas, 436
Lampsilis cardium, 814
largemouth bass, 794, 814
larval striped bass, 146
leaching, 296, 306
lead, 581, 901, 931
lead-210, 488
leopard shark, 115
Leiostomus xanthurus, 75, 697, 723
Lepomis auritus, 723
Lepomis cyanellus, 723
Lepomis cyanellus, 814
Lepomis gibbosus, 723
Lepomis gulosus, 814
Lepomis macrochirus, 723
Lepomis megalotis, 723
Leptocottus armatus, 115
Leptocylindricus, 386
Leptodea fragilis, 814
Limnodrilus hoffmeisteri, 923
Little Egg Harbor, New Jersey, 697
liver damage, 913
liver elimia, 814
Liza agentea, 31
loading rates, 408
logperch, 814
Long Island Sound, New York, 257
long-term data sets, 220
long-term trends, 890
longjaw mudsucker, 115
longnose killfish, 86
Looe Key National Marine Sanctuary, Florida, 422
low speargrass, 814
Lucania parva, 723
luderick, 31
Lumbrineris, 680
Lycopus europaeus, 814
Lyngbya, 710
Lysimachia nummularia, 814
Lysimachia vulgaris, 814
Lythrum salicaria, 814

macroalgae, 202
macrobenthos, 674
macrofauna, 202
macroinfaunal assemblages, 62
macroinvertebrates, 279
macrotidal salt marsh, 139

macrozoobenthos, 680
mallards, 272
Malleatus, 814
management, 165, 213, 220, 229, 238, 272, 279, 288, 296, 306, 311, 320, 457, 710
manganese, 595, 931
marina construction, 257
marine shallows, 31
marsh fertilization, 1
marsh-foxtail, 814
mass-balance, 21
meadow-grass, 814
Mediomastus, 680
Melosira, 386, 710
Melosira distans, 386
Melosira granulata, 386, 710
Melosira sulcata, 386
Membras martinica, 723
menhaden nursery grounds, 105
Menidia beryllina, 723
Menidia menidia, 697, 723
Menippe mercenaria, 279
Mentha gentilis, 814
Mentha pipertia, 814
Mentha spicata, 814
Menticirrhus saxatilis, 723
Mercenaria mercenaria, 311
mercury, 595, 901
mesocosms, 51
Mesocyclops edax, 146
mesohaline, 457, 475
mesozooplankton, 874
metacercaria, 146
metals, 581, 595, 923
meteorological influences, 548
methane flux, 139
methods, 674
microalgae, 202
microanalysis, 778
Microsystis, 710
Microgadus tomcod, 794, 913
micrometazoa, 874
microphytobenthos, 186, 202
Micropogonias undulatus, 723
Micropterus dolomieui, 723, 814
Micropterus salmoides, 723, 794, 814
migration, 778, 794
minor naiad, 814
Mission Bay, San Diego, California, 42
Mississippi River, 386, 581
modeling, 833
Moina, 710
molluscs, 115
moneywart, 814
Monterey Bay, California, 115
Morone americana, 146, 288, 723, 794
Morone chrysops, 814
Morone saxatilis, 146, 288, 723, 759, 778, 794, 913
mosquito fish, 814
mRNA inducibility, 913
mud bithynia, 814
Mugil cephalus, 31, 723
Musculista senhousia, 42
mussel juveniles, 619
mussels, 311, 901
mussels beds, 62
Mya arenaria, 311
Myliobatus californica, 115
Myocaster coypus, 13
Myosotis discolor, 814
Myosotis scorpioides, 814
Myriophyllum spicatum, 814
Mytilopsis leucophaeata, 612, 814
Mytilus chilensis, 62
Mytilus edulis, 62, 311, 901

Najas minor, 814
Nanaimo River, 629
naturally occurring radionuclides, 931
nauplii, 874
Nauset-Town Cove. Massachusetts, 311
Navicula, 710
Negombo Lagoon, Sri Lanka, 540
Nephtys sphaerocirrata, 680
Nephyts capensis, 680
Nerinides gilchristi, 680
Neuse River, North Carolina, 105
nickel, 581, 901
Nisqually River, Washington, 629
nitrate, 337, 359, 386, 408, 422, 475
nitrate-nitrite, 562, 595
nitrogen, 1, 21, 342, 371, 386, 408, 890
nitrogen discharge, 359
nitrogen loading, 730
Nitzschia, 386, 710
Nitzschia pungens, 386
Nocomis biguttatus, 814
nonindegenous species, 814
nonpoint sources, 581, 848
nonvegetated areas, 51
North Inlet, South Carolina, 659
nothern anchovy, 115
northern pike, 814
northern pipefish, 697
Nostoc, 710
Notemigonus crysoleucas, 723
Notropis altherinoides, 814
Notropis hudsonius, 723
Notropis stramineus, 814
Noturus miurus, 814
nutria, 13
nutrient balance, 386
nutrient enrichment, 448, 457
nutrient exchange(s), 475, 562
nutrient inputs, 342
nutrients, 1, 21, 105, 247, 337, 371, 386, 408, 422, 457, 475, 595, 730
Nymphoides peltata, 814

Ogeechee River, Georgia, 759
Oithona, 874
oligochaete, 814
oligochaete worms, 923
oligohaline areas, 247, 475
Olympic Mountains, 501
Oncorhynchus mykiss, 814
Oocystis, 710
opercula, 75
Orconectes immunis, 814
Orconectes obscurus, 814
Orconectes rusticus, 814
Orconectes virilis, 814
organic carbon, 169, 488
organic carbon discharge, 833
organic carbon sources, 848
organic carbon flux, 848
organic carbon sinks, 848
organic matter, 62
organic phosphorus, 488
organic-rich sediments, 169, 247
Orleans, Massachusetts, 311
ortho-phosphate, 475
Oscillatoria, 710
ospreys, 213
otoliths, 778
oxygen, 475, 562
oyster(s), 651, 639

Pacific herring, 115
Palaemonetes, 659
Palaemonetes pugio, 279, 923
paleoecology, 238
Palix River, Washington, 629
Pamlico River, North Carolina, 105
Pandion haliaetus, 213
Pandorina, 710
paper pondshell, 814
Paracalanus, 710
Paracorophium hartmannorum, 62
Paralichthys dentatus, 723
parasites, 146
particulate nutrients, 475
particulate organic carbon, 866
Pediastrum simplex, 710
Penaeus, 659
peppermint, 814
Peprilus alepidotus, 723
Perca flavescens, 723, 794
Percina caprodes, 814
Percina peltata, 814
Perinereis gualpensis, 62
pesticides, 901
Phalacrocorax auritus, 213
Phanerodon furcatus, 115
phenanthrene, 901
Phormidium, 710
phosphate, 562, 595
phosphorus, 21, 342, 371, 386, 422, 488, 890
Photobacterium phosphoreum, 901
photosynthesis, 436
Phragmites australis, 814
physiology, 769
phytobenthos, 186, 202
phytoplankton, 311, 371, 386, 824, 848, 874,
phytoplankton biomass, 105
Pimephales promelas, 814
pink heelsplitter, 814
Piscataqua River, New Hampshire, 518
Pisidium amnicum, 814
Plagiogramma vanheurkii, 386
plain pocketbook, 814
plant biomass, 436
plant growth kinetics, 82
plant restoration, 457
Plantago maritima, 139
Platichthys stellatus, 115
Platydorina, 710
Pleasant Bay, Massachusetts, 311
plerocercoids, 146
Pleurocera acuta, 814
Pleuronectes putnami, 913
Pleuronectes vetulus, 115
plovers, 213
Poa annua, 814

Poa nemoralis, 814
Poa trivialis, 814
Pogonias cromis, 723
point source, 342
pollution, 86, 165, 257, 279, 288, 296, 306, 320, 342, 581, 595, 890, 901, 923, 931, 950
polychaete larvae, 874
polychaetes, 62
polychlorinated biphenyls, 86, 288, 901, 950
Polydora, 62
Polydora gualpensis, 62
Polygonum caespitosum var. *longisetum*, 814
Polygonum convolvulus, 814
Polygonum hydropiper, 814
Polygonum lapathifolium, 814
Polygonum persicaria, 814
polyhaline waters, 680
polynuclear aromatic hydrocarbons, 901
Pomatomus saltatrix, 288, 723, 794
Pomoxis annularis, 723, 814
Pomoxis nigromaculatus, 723, 814
population ecology, 42
porewater, 436, 950
Potamilus ulatus, 814
Potamogeton crispus, 814
Potamogeton perfoliatus, 457
Potomic River, 337
predation, 794
predatory copepods, 146
prey-predator relationships, 75
prey-predator transfer, 923
primary production, 82, 186, 202, 247, 257, 408, 526, 848, 874
Prionospio, 680
Prionospio (Minuspio) patagonica, 62
Prionospio saldhana, 680
Prionospio sexoculata, 680
Procambarus acutus acutus, 814
production, 457, 436
productivity, 186, 202, 371, 448, 848, 866
Psettichthys melanostictus, 115
Pseudobradya, 629, 874
Pseudodiaptomus, 710
Pseudodiaptomus inopinus, 629
Pseudopleuronectes americanus, 723
public tidelands, 311
purple loosestrife, 814
purple osier, 814
pyrite, 595

Quagga mussel, 619
quahaugs, 311
Queule River estuary, Chile, 62

radionuclides, 931
Radix auricularia, 814
rainbow trout, 814
Rangia cuneata, 814
Ranunculus acris, 814
Ranunculus bulbosus, 814
Ranunculus repens, 814
Ranunculus scleratus, 814
Raritan estuary, 901
reactive phosphorus, 475
Recknitz River, Germany, 21
recruitment, 651
red drum, 86
red mint, 814
Redfield ratio, 475
reed, 814
regulatory infrastructure, 320
reproductive conditions, 769
residence time, 540
respiration, 848
Rhabdosargus sarba, 31
Rhithropanopeus harrisii, 279
Rhizosolenia fragilissima, 386
Rhizosolenia stoltertfothii, 386
Rhodeus sericeus, 814
riparian vegetation, 359
riparian agroecosystem, 359
Ripistes parasita, 814
risk, 296
river flow, 146, 562
river inputs, 371
river mouth, 21
river-dominated systems, 408
riverine seston, 21
Roanoke River, North Carolina, 146
rock bass, 814
Rockefeller Wildlife Refuge, Louisiana, 51
root-rhizome, 457
Rorippa nasturtium, aquaticum, 814
Rorippa palustris var. *palustris*, 814
Rorippa sylvestris, 814
Rotifera, 874
rough-stalked meadow-grass, 814
rudd, 814
Rumex crispus, 814
Rumex obtusifolius, 814
runoff, 337, 950
Ruppia maritima, 457
rush, 814
rusty crayfish, 814
Rynchops niger, 213

Sagitaria falcata, 82
Sagittaria lancifolia, 13
Salicornia bigelovii, 51
Salicornia europaea, 139
salinity, 105, 139, 422, 436, 475, 526, 612, 619, 659, 697
Salix alba, 814
Salix fragilis, 814
Salix purpurea, 814
Salmo trulla, 814
salt front, 220
saltwater intrusion, 13
sample preservation, 674
San Diego Bay, California, 1
sand shiner, 814
sand sole, 115
sand whiting, 31
sandpipers, 213
Sarasota Bay, Florida, 448
Satilla River, Georgia, 759
Savannah River, Georgia, 759
scale insects, 1
Scardinius erythrophthalmus, 814
Scenedesmus, 710
Scieaenops ocellatus, 86
Scomberomorus maculatus, 723
Scophthalmus aquosus, 723
sea mullet, 31
sea-level rise, 238
seabirds, 213
seagrass, 436, 740
seagrass meadows, 448
secondary production, 866
sediment, 21, 62, 75, 169, 186, 229, 247, 306, 311, 386, 436, 475, 488, 518, 562, 581, 595, 680, 833, 931, 950
sediment discharge, 833
sediment exchange, 950
sediment quality criteria, 901
sediment stability, 202
sediment toxicity, 901
sediment-water exchange, 169, 247, 950
sediment-water interface, 562
sedimantation traps, 21
selenium, 901
septic tank effluent, 422
Seriola dumerili, 723
Sesarma reticulatum, 279
seston, 866
sewage, 890
sex-dependent migrations, 778
shallow water management, 165
shallow water, 457
shallow-water habitats, 186, 202, 213, 220, 229, 238, 247, 272, 279
sharp hornsnail, 814
shellfish, 288, 311
shellfish enhancement, 311
shield darter, 814
shiner surfperch, 115
shoal formation, 518
shorebirds, 213
shrimp, 923
silica, 371, 488
silicate, 595
Sillago ciliata, 31
silver, 581, 595, 901, 931
silver biddy, 31
silver lamprey, 814
simulated herbivory, 13
size-dependent emigration, 75
Skagit River, Washington, 629
Skeletonema, 386
Skeletonema costatum, 386, 710
Skidaway River, Georgia, 651
Skokomish River, Washington, 629
smallmouth bass, 814
smooth flounder, 913
Snohomish River, Washington, 629
soft shell clams, 311
soil, 229
soil horizons, 342
Sokokomish River Delta, 510
Solanum dulcamara, 814
Solen capensis, 680
soluble reactive phosphorus, 422
Sonchus arvensis, 814
southern sneezeweed, 814
Spartina alterniflora, 51, 82, 139
Spartina cynosuroides, 82
Spartina foliosa, 1
Spartina patens, 82, 139
spawning, 769
spearmint, 814
species introduction, 42
speckled sanddab, 115
Sphaerium corneum, 814
Spherocystis, 710
Spirogyra, 710

Spirulina, 710
spot, 697
spotfin surfperch, 115
spotted hake, 697
Squamish River, British Columbia, 629
St. John River, Maine, 759
St. Marks National Wildlife Refuge, Florida, 82
Stachys palustris, 814
staghorn sculpin, 115
starry flounder, 115
steroids, 769
Sthenelais, 680
Stichococcus, 710
Stizostedion vitreum, 723
Stizostedion vitreum vitreum, 814
stormwater discharges, 422
stratification, 526
striped bass, 146, 288, 759, 778, 794, 913
Strongylura marina, 723
subaqueous soils, 229
submersed macrophytes, 848
submersed plant community, 457
subsurface delivery, 342
subtidal habitats, 229
sulfidic sediment, 488
surface runoff, 408
Surirella, 710
suspended matter, 21, 866
suspended sediment, 950
swans, 272
Sweetwater Marsh National Wildlife Refuge, 1
Synedra ulna, 710
Syngnathus fuscus, 697, 723
Synodus foetens, 723
Syringodium filiforme, 740
system responses, 386

Tampa Bay, Florida, 86
tarwhine, 31
Temora, 874
temperate estuary, 475
terrestrial coupling, 833
Thalassia testudinum, 448
Thalassionema nitzschioides, 386
Thalassiosira, 386
thermal risk, 794
thorium, 931
tidal choking, 540
tidal Delaware River, 723
tidal forcing, 526, 540
tidal freshwater, 866
tidal marshes, 238
tiger muskellunge, 814
Tillamook River, Oregon, 629
tin, 901
topsmelt, 115
total carbon, 21, 874
total dissolved phosphorus, 422
total dissolved nitrogen, 562
total nitrogen, 422
total organic carbon, 833, 848
total phosphorus, 422
total suspended solids, 890
total suspended matter, 950
toxicity, 296, 595, 901
toxicology, 86
toxins, 913
Trapa natans, 612, 814
treated wood, 296
Triakis semifasciata, 115
Triglochin maritima, 139
Trinectes maculatus, 723, 913
trophic dynamics, 202
trophic ecology, 115
trophic index, 247
trophic transfer, 923
tropical storms, 13
turbidity, 408
turtle grass, 448
Turtle Cove Environmental Research Station, Louisiana, 13

Uca, 659
Uca longisignalis, 51
Uca pugilator, 279
Uca spinicarpa, 51
Ulva lactuca, 257
Umbra limi, 146, 814
Umpqua, Oregon, 629
untreated sewage, 890
unvegetated ecosystems, 202
upload-marsh interactions, 238
urban sprawl, 238
urbanized coastal sites, 86
urea, 1, 595
Urophycis regina, 697
Urothoe serrulidactylus, 680

Vallisneria gigantea, 31
Valvata piscinalis, 814
vascular plants, 82
vegetated areas, 51
vegetated habitats, 31
vegetated shallows, 31
vitellogenin, 769
Viviparus georgianus, 814

Wabash pigtoe, 814
walleye, 814
Waquoit Bay, Massachusetts, 730
warmouth, 814
Warnow River, Germany, 21
Wassaw Sound, Georgia, 651
wastewater, 950
water chestnut, 612, 814
water column desorption, 950
water discharge, 833
water exchange, 540
water pepper, 814
water quality, 342, 436, 457, 890
water scorpion grass, 814
water table, 139
water withdrawal, 510
water-quality monitoring, 448
waterbirds, 213
watercress, 814
waterfowl, 272
watershed, 501
watershed development, 272, 342
weakfish, 794
white bass, 814
white catfish, 288, 794
white crappie, 814
white perch, 288, 794
white surfperch, 115
white willow, 814
wildlife, 272
Willapa River, Washington, 629
wind rosette, 548
wind-induced advection, 548
wood preservation, 296, 306
Wye River, Maryland, 359

x-radiographs, 931
Xenanthura, 680

Yaquina River, Oregon, 629
yellow and blue scorpion grass, 814
yellow floating-heart, 814
yellow iris, 814
yellow perch, 794
yellowfin bream, 31
Youngs River, Oregon, 629

Zannichellia palustris, 457
zebra mussel, 612, 619, 814, 824
zinc, 581, 595, 901, 931
zonation, 680, 710
zooplankton, 115, 146
zooplankton dynamics, 659
zooplankton grazing, 874
Zostera capricorni, 31
Zostera marina, 457, 501, 730
Zygnema, 710
Zygnemopsis, 710